

B. TECH
(SEM-III) THEORY EXAMINATION 2019-20
MATHEMATICS-IV

Time: 3 Hours

Total Marks: 100

Note: 1. Attempt all Sections. If require any missing data; then choose suitably.

SECTION A

1. Attempt all questions in brief.

2 x 10 = 20

Q no.	Question	Marks	CO								
a.	Solve the following partial differential equation $yq - xp = z$.	2	1								
b.	Solve the Cauchy's problem $u_x - u_y = 0$. $u(x, 0) = x$	2	1								
c.	Classify the following equation. $x^2 \frac{\partial^2 u}{\partial t^2} - \frac{\partial^2 u}{\partial t^2} = u$	2	2								
d.	Solve the partial differential equation $\frac{\partial^2 z}{\partial x^2} + \frac{\partial^2 z}{\partial x \partial y} = 0$.	2	2								
e.	Find the median of 6,8,9,10,11,12,13.	2	3								
f.	The first three central moments of a distribution are 0,15,-31. Find the moment of coefficient of skewness.	2	3								
g.	If the p.m.f of a discrete random variable X is <table border="1" style="margin: 10px auto;"> <tr> <td>X</td><td>1</td><td>2</td><td>3</td></tr> <tr> <td>f(x)</td><td>$\frac{1}{2}$</td><td>$\frac{1}{3}$</td><td>$\frac{1}{6}$</td></tr> </table> Determine E(X) and V(X).	X	1	2	3	f(x)	$\frac{1}{2}$	$\frac{1}{3}$	$\frac{1}{6}$	2	4
X	1	2	3								
f(x)	$\frac{1}{2}$	$\frac{1}{3}$	$\frac{1}{6}$								
h.	The probability density function f(x) of a continuous random variable X is defined by $f(x) = \begin{cases} \frac{A}{x^2}, & 5 \leq x \leq 10 \\ 0, & \text{otherwise} \end{cases}$ Find the value of A.	2	4								
i.	Find the mean of the Binomial Distribution $B\left(4, \frac{1}{3}\right)$.	2	4								
j.	A machine which produces mica insulating washers for use in electric device to turn out washers having a thickness of 10 mm. A sample of 10 washers has an average thickness 9.52 mm with a standard deviation of 0.6 mm. Find out t.	2	5								

SECTION B

2. Attempt any three of the following:

3 x 10 = 30

Q no.	Question	Marks	CO
a.	Solve $(D^2 - DD' - 2D'^2)z = (y - 1)e^x$	10	1
b.	A rectangular plate with insulated surface is 10 cm wide and so long compared to its width that it may be considered infinite in length without introducing an appreciable error. If the temperature along the short edge $y=0$ is given by: $u(x,0) = \begin{cases} 20x & 0 \leq x \leq 5 \\ 20(10-x) & 5 < x < 10 \end{cases}$ While the two edges $x=0$ and $x=10$ as well as the other short edge are kept at 0°C . Find the steady state temperature at any point (x,y) of the plate.	10	2

c.	Find an exponential curve $PV^y = k$ for the data:	10	3																								
	<table border="1"><tr><td>V</td><td>50</td><td>100</td><td>150</td><td>200</td></tr><tr><td>P</td><td>135</td><td>48</td><td>26</td><td>17</td></tr></table>	V	50	100	150	200	P	135	48	26	17																
V	50	100	150	200																							
P	135	48	26	17																							
d.	Fit a Poisson distribution to the following data which give the number of yeast cells per square for 400 squares	10	4																								
	<table border="1"><tr><td>X</td><td>0</td><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td><td>10</td></tr><tr><td>F</td><td>103</td><td>143</td><td>98</td><td>42</td><td>8</td><td>4</td><td>2</td><td>0</td><td>0</td><td>0</td><td>0</td></tr></table> <p>It is given that $e^{-1.52}=0.2674$.</p>	X	0	1	2	3	4	5	6	7	8	9	10	F	103	143	98	42	8	4	2	0	0	0	0		
X	0	1	2	3	4	5	6	7	8	9	10																
F	103	143	98	42	8	4	2	0	0	0	0																
e.	To test the effectiveness of inoculation against cholera , the following table was obtained https://www.aktuonline.com	10	5																								
	<table border="1"><tr><td></td><td>Attached</td><td>Not attached</td><td>Total</td></tr><tr><td>Inoculated</td><td>30</td><td>160</td><td>190</td></tr><tr><td>Not inoculated</td><td>140</td><td>460</td><td>600</td></tr><tr><td>Total</td><td>170</td><td>620</td><td>790</td></tr></table> <p>(The figure represents the number of persons)</p> <p>Use Chi square test to defend or refute the statement. The inoculation prevents attack from cholera. The value of χ^2 for 1 degree of freedom at 5% level is 3.841.</p>		Attached	Not attached	Total	Inoculated	30	160	190	Not inoculated	140	460	600	Total	170	620	790										
	Attached	Not attached	Total																								
Inoculated	30	160	190																								
Not inoculated	140	460	600																								
Total	170	620	790																								

3. Attempt any *one* part of the following:

1 x 10 = 10

Q no.	Question	Marks	CO
a.	Solve $(D + 1)(D + D' - 1)z = \sin(2x + 3y)$	10	1
b.	In a partial destroyed laboratory record of an analysis of correlation data, the following result only are legible : Variance of $x = 9$ Regression equation: $8x - 10y + 66 = 0$, $40x - 18y = 214$. What were (a) the mean value of x and y (b) the standard deviation of y and the co-efficient of correlation between x and y ?	10	3

4. Attempt any *one* part of the following:

1 x 10 = 10

Q no.	Question	Marks	CO
a.	Solve $x^2 \frac{\partial^2 z}{\partial x^2} - 4y^2 \frac{\partial^2 z}{\partial y^2} - 4y \frac{\partial z}{\partial y} - z = x^2 y^2 \log y$	10	1
b.	A tightly stretched string with fixed end points $x=0$ and $x=l$ is initially in a position given by $y = y_0 \sin^3 \frac{\pi x}{l}$. If it is released from rest from this position, find the displacement $y(x,t)$.	10	2

5. Attempt any *one* part of the following:

1 x 10 = 10

Q no.	Question	Marks	CO
a.	An insulated rod of length l its ends A and B maintained at 0°C and 100°C respectively until the steady state condition prevails. If B is suddenly reduced to 0°C and maintained at 0°C , Find the temperature at a distance x from A at time t .	10	2

